

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**



(19)

(11) Publication number:

**03242156 A**

Generated Document

## PATENT ABSTRACTS OF JAPAN

(21) Application number: **02037240**

(51) Intl. Cl.: **A62C 11/00 A45F 3/16 A62C 13/62 C02F 1/00**

(22) Application date: **20.02.90**

(30) Priority:

(43) Date of application publication: **29.10.91**

(84) Designated contracting states:

(71) Applicant: **HATANO JIRO**

**HATANO SHIGERU**

(72) Inventor: **HATANO JIRO**

**HATANO SHIGERU**

(74) Representative:

### (54) WATER BAG FOR DRINK SERVING ALSO AS INITIAL FIRE FIGHTING

(57) Abstract:

**PURPOSE:** To simply use water subjected to water cleaning treatment for a drink or other applications by providing separately a grip part, a water pouring part and a water discharging part on the upper part position of a water bag structure body, and attaching a water cleaning implement of a suitable shape for

gripping to the position of the grip part.

**CONSTITUTION:** The structure of a water storage container is formed by a water bag-like structure, and in the upper part position of its water bag structure body 1, the grip part 4 is provided. In a position separated from the position of its grip part 4, the water pouring part 2 and the water discharging part 3 are provided separately. Also, to a position of the grip part 4, a water cleaning implement 7 is attached in advance, and it is formed in a shape being suitable for gripping the part of its water cleaning implement 7. Thus, confirmation can be executed by only looking at how much water is housed in a container from the outside. Also, water subjected to water clearing treatment can be used easily for a drink or other applications.

Moreover, the water clearing implement attached to the grip part is formed in a shape being suitable for gripping, therefore, handling can be executed by only holding the grip part, and there is such an effect as it does not occur that a user injures his hand or he cannot hold it easily.

**COPYRIGHT:** (C)1991,JPO&Japio

